CRYOGENICS

Index to volume 18

January to December 1978

Page key

January	1– 64
February	65–128
March	129–192
April	193–256
May	257–320
June	321–384
July	385–448
August	449–512
September	513–576
October	577–640
November	577–632
December	633–688

480

Author Index

Agapov, N.N., Ageev, A.I., Belushkin, V.A., Krylov, V.V., Zel'dovich, A.G.
Study of a liquid helium jet pump for circulating refrigeration systems 491

Ageev, A.I., Belushkin, V.A., Krylov, V.V., Zel'dovich, A.G., Agapov, N.N.
Study of a liquid helium jet pump for circulating refrigeration system 491

Akiyama, M., Okuda, M., Oshima, K., Ishizaki, Y., Kamiyama, S.
The utilization of LH_2 and LNG cold for generation of electric power by a cryogenic type Stirling Engine .....(Nov)617

Anan'ev, L.L., Pozharov, A.M. and Egorov, N.V.
A cooled amplifier with field effect transistors having a noise temperature of 1 K 308

Anan'ev, L.L., Krasnoperov, E.P., Pozharov, A.M., Rubinov, V.L.
A small radio-frequency superconducting resonance circuit 447

Andres, K.
Hyperfine enhanced nuclear magnetic cooling 473

Antipov, V.I., Grigoriev, B.A., Pavlov, Yu.M. and Klimenko, A.V.
Certain peculiarities of heat transfer in nucleate boiling in capillary tubes 675

Anzin B., Kosichkin, Yu.V., Kotlov, Yu.N. and Nadezhdinskii, A.I.
A continuous flow helium cryostat for optical studies at fixed high pressure 351

Apgar, B.A. and Iwasa, Y.
Transient heat transfer to liquid helium from bare copper surfaces in a vertical orientation – 1: Film boiling regime 267

Armstrong, G., Greenberg, A.S.
Inexpensive cryogenic pressure-vacuum valve 58

Arp, V.D., Jones, M.C.
Review of hydrodynamics and heat transfer for large helium cooling systems 483

Bald, W.B.
A multi-purpose cryostat for freezing biological materials 3

Bamberger, C.E.
Hydrogen production from water by thermochemical cycles: a 1977 update 170

Bandyopadhyay, J., Gupta, K.P.
Low temperature lattice parameter of Al and Al-Zn alloys and Grüneisen parameter of Al 54

Barclay, J.A., Paterson, L., Bingham, D. Moze, O.
Low temperature thermal conductivity of $Gd_2(SO_4)_3 8H_2O$ and $Dy_2Ti_2O_7$ as a function of magnetic field 535

Basavaiah, S., Singer, S.J.
Automatic thermal cycling aparatus 11

Bejan, A., Tien, C.L.
Effect of axial conduction and metal-helium heat transfer on the local stability of superconducting composite media 433

Biddulph, M.W., Meachin, A.J.
The effect of high magnetic fields on the vapour pressures of nitrogen, oxygen and argon 2

Blackford, B.L., Purcell, C.J., Stoink, G.
A rolling superconducting contact 56

Becker, F.E., Hatch, A.M., Zar, J.
Design of superconducting magnets for full scale MHD generators 6

Belyaeva, A.I., Stel'makhov, Yu.N. and Silaev, V.I.
A device for obtaining temperatures in the range 4.2 to 300 K in the presence of appreciable heat flux to the specimen 29

Belushkin, V.A., Krylov, V.V., Zel'dovich, A.G. Agapov, N.N., Ageev, A.I.
Study of a liquid helium jet pump for circulating refrigeration systems 49

Besley, L.M., Kemp, R.C.
Two-point calibration of standard capsule platinum resistance thermometers for the range 13.81 K to 273.15 K 49

Bibby, C.W., Carter, C.N., Noe, J.A., Lewis, K.G., Sutton, J.
Current tests on a flexible superconducting core for a 2GVA ac cable 14

Bingham, D., Moze, O., Barclay, J.A., Paterson, L.
Low temperature thermal conductivity of $Gd_2(SO_4)_3 8H_2O$ and $Dy_2Ti_2O_7$ as a function of magnetic field 53

Bobryshev V.D., Verkin, B.I., Dmitriev, V.M., Prentslau, N.N.
Cryogenics high-frequency stable systems with mode conversion cavities .....(Nov) 60

Bogdzevich, A., Musienko, L.E., Kalekin, Yu.V., Volotskaya, V.G.
Critical heat flux in He-II for narrow films 55

Brandt, N.B., Keptya, V.F., Kul'bachinskii, V.A. Minina, N.Ya.
A device for high uniaxial compression of single crystal specimens at low temperatures 16

Byszewski, P., Cieplak, M.Z., Szymborski, K.
Continuous flow cryostats for measurements in pulsed magnetic fields 5

Chaussy, J., Escalon, G., Gianese, P., Roux, J.P.
Easily demountable elastometer seal for cryogenic applications 50

Carr, R.H., White, G.K. and Smith, T.F.
Thermal expansion of Cr, Mo and W at low temperatures 30

Carter, C.N., Noe, J.A., Lewis, K.G., Sutton, J., Bibby C.W.
Current tests on a flexible superconducting core for a 2 GVA ac cable 14

Cense, W.A., Severijns, A.P., Stass, F.A.
An improved He^3–He^4 mixing chamber for single-cycle experiments 8

Chernik, M.M., Ilichev, V.Ya., Popov, V.P., Skibina L.V.
Temperature dependence of linear expansion coefficient of some Fe-Cr-Ni alloys in the temperature range 4.2 to 300 K 9

Cieplak, M.Z., Szymborski, K., Byszewski, P.
Continuous flow cryostats for measurements in pulsed magnetic fields 56
Chuprikov, G.E., Nikitin, S.A., Kataev, G.I., Posyado, V.P.
The use of a terbium single crystal for concentrating the magnetic flux in superconducting solenoids 153
Clark, A.F., Powell, R.L.
Definitions of terms for practical superconductors 2. Critical parameters 137
Collins, J.G.
Comments on papers by Bandyopadhyay and Gupta on low temperature Grüneisen parameters of nickel and aluminium 570
Comberg, A., Ewert, S., Sander, W.
Calorimeter for heat capacity measurements on quench-condensed thin metallic films in the range 0.6–4.4 K 79

Dąbrowska, B., Lagan, J.M., Wojtaszek, Z., Szczepaniec-Cięciak, E.
Estimation of the solubility of solidified substances in liquid methane by the Preston-Prausnitz method ..... (Oct) 591
Dalmaze, R.
Device for detection of leak in cryogenic fluid tanks .52
Daney, D.E.
A cryogenic pressure regulator 234
Daney, D.E., and Ludtke, P.R.
Friction factors for flow of near-critical helium in curved tubes 345
Dharmadurai, G., Ratnam, B.A.
A very stable automatic pressure controller (Oct) 617
Denner, H.D., Klipping, G., Klipping, I., Menzel, J., Ruppert, U.
Flow of helium II through porous plugs 166
Derkach, A.Ya., Karnaukhov, I.M., Lukhanin, A.A., Sorokin, P.V., Sporov, E.A.
A superconducting magnet system of a polarized proton target 539
Dharmadurai, G., Ratnam, B.A.
Proximity-effect bridges with externally controllable electrical characteristics 553
Dinaburg, L.B., Fokeev, V.F., Shelgunov, G.Ya.
A circulating cooling system based on a commercial G-3 helium liquifier 231
Dmitriev, V.M., Prentslau, N.N., Bobryshev, V.D., Verkin, B.I.
Cryogenics high-frequency stable systems with mode-conversion cavities .....(Nov) 601
Dresner, L.
Distribution of current among the filaments of a multifilamentary superconductor close to the input leads 285
Dzhioev, R.I. and Shiryapov, I.P.
A glass helium cryostat for optical and magneto-optical studies 304

Eber, N., Quack, H., Schmid, C.
Gas bearing turbines with dynamic gas bearings and their application in helium refrigerators ..... (Nov) 585
Edwards, V.W., Wilson, M.N.
The effect of adhesion between turns on the training of superconducting magnets 423
Egorov, N.V., Anan'ev, L.L. and Pozharov, A.M.
A cooled amplifier with field effect transistors having a noise temperature of 1 K 308
Escalon, G., Gianese, P., Roux, J.P., Chaussy, J.
Easily demountable elastometer seal for cryogenic applications 501
Evseev, I.I., Novinskii, N.A. and Zhilkin, B.M.
Quartz thermometer with a field-access transistor oscillator 371
Ewert, S., Sander, W., Comberg, A.
Calorimeter for heat capacity measurements on quench-condensed thin metallic films in the range 0.6–4.4 K 79
Eyssa, Y.M. and Okasha, O.
Thermodynamic optimization of thermal radiation shields for a cryogenic apparatus 305

Fisher, E.S., Kim, S. H., Linz, R.J., Turner, A.P.
Effect of cyclic strains on electric conductivity and work hardening of copper at 4.2 K 405
Fogelholm, R.
Simple method for linearized readings from 5-decade potentiometer 560
Fokeev, V.F., Shelgunov, G.Ya., Dinaburg, L.B.
A circulating cooling system based on a commercial G-3 helium liquifier 231
Frossati, G., Hebral, B., Schumacher, G. and Thoulouze, D.
Double mixing chamber system on dilution refrigeration 277
Frossati, G.
Obtention d'ultra basses temperature par dilution He^3–He^4 classique 490
Fujii, G., Nagano, H., Oda, Y.
Practical design of heat exchanger for dilution refrigerator 1 73
Fujino, H., Iwamoto, M.
6250 kVA superconducting generator 51
Fujita, H., Kuono, T., Noguchi, Y., Ueguri, S.
Breakdown voltages of gaseous N_2 and air from normal to cryogenic temperatures 195

Gerber, J.A., Sellmyer, D.J.
Anomalous behaviour of silicon diode thermometers ..... (Oct) 619
Gianese, P., Roux, J.P., Chaussy, J., Escalon, G.
Easily demountable elastometer seal for cryogenic applications 501
Gmelin, E., Saffert, R., Schönteich, H.
Multipurpose-cryostat for low temperature electron irradiation of semi-conductors ..... (Nov) 596
Goldschvartz, J.M., Mathu, F.
Absolute temperature stabilized below the lambda point: the adriton 564
Goldschvartz, J.M., Mathu, F.
Another lambda tight cement ..... (Oct) 620

Goll, W., Turowski, P.
Quenching of technical superconductors by heat and magnetic field pulses 103
Gonin, N.N., Kozlovskii, L.K., Stavisskii, Yu.Ya., Tambovtsev, D.I.
Electrical contact at helium temperature to evaporated gold film in a silicon detector 57
Gonin, N.N., Kozlovskii, L.K., Stavisskii, Yu.Ya., Tambovtsev, D.I.
Vacuum tight heat bridge for use at temperatures below 0.1 K 57
Greenberg, A.S., Armstrong, G.
Inexpensive cryogenic pressure-vacuum valve 58
Grigoriev, B.A., Pavlov, Yu.M., Klimenko, A.V. and Antipov, V.I.
Certain peculiarities of heat transfer in nucleate boiling in capillary tubes 675
Gupta, K.P., Bandopadhyay, J.
Low temperature lattice parameter of Al and Al-Zn alloys and Grüneisen parameter of Al 54

Haarhuis, Dr G.J.
The MC80 – a magnetically driven stirling refrigerator 656
Harrison, W.E., Jr., Miller, A.C., Jr., Shofner, F.M., Jr.
Principles and performance of a new aerosol detector in cryogenic systems 363
Hatch, A.M., Zar, J., Becker, F.E.
Design of superconducting magnets for full scale MHD generators 67
Haynes, W.M.
Measurements of the orthobaric liquid densities of argon (100-120 K) and ethylene (105-200 K) .....(Oct) 621
Hebral, B., Schumacher, G., Thoulouze, D. and Frossati, G.
Double mixing chamber system on dilution refrigeration 277
Henke, M.D., Migliori, A., Schermer, R.I.
Dielectric tracking in liquid helium 443
Hilal, M.A., Stone, E.L., Van Sciver, S.W., McIntosh, G.E.
Unit helium requirements for superconductive energy applications in the USA 415
Hilal, M.A.
Analytical study of laminar free convection heat transfer to supercritical helium 545
Ho, J.C., King, G.B. and Fickett, F.R.
Low temperature specific heat of two stainless steels 296
Howe, D.A.
Integrated circuits at cryogenic temperatures 53
Huebener, R.P., Noto, K., Wener, H.G.
Precise temperature control by a manostat utilizing a sheet of a thin-film materials .....(Nov) 626

Ilichev, V.Ya., Popov, V.P., Skibina, L.V., Chernik, M.M.
Temperature dependence of linear expansion coefficient of some Fe-Cr-Ni alloys in the temperature range 4.2 to 300 K 90
Irie, F., Yoshida, K., Sumiyoshi, F.,
Magnetic field dependence of ac losses in multifilamentary superconducting wires 209
Ishizaki, Y., Kamiyama, S., Akiyama, M., Okuda, M., Oshima, K.
The utilization of LH_2 and LNG cold for generation of electric power by a cryogenic type Stirling Engine .....(Nov) 617
Ishikawa, K., Maruyama, N.
Fracture and strength of mig welded Fe–13% Ni–3% Mo alloy for cryogenic service .....(Oct) 585
Islam, M.S. and Scurlock, R.G.
Analysis of solid vapour heat transfer in helium vapour columns at low temperatures 323
Islander, S., Östman, P.
An intercomparison of a Cu nuclear susceptibility thermometer and an 119 Sn Mössbauer effect thermometer between 6 mK and 1 mK .....(Oct) 614
Itskevich, E.S., Kraidenov, V.F.and Syzranov, V.S.
Measurement of the low temperature heat capacity of metals under pressure 281
Iwamoto, M., Fujino, H.
6250 kVA superconducting generator 51
Iwasa, Y., Wilson, M.N.
Stability of superconductors against disturbances of limited magnitude 17
Iwasa, Y. and Apgar, B.A.
Transient heat transfer to liquid helium from bare copper surfaces in a vertical orientation – 1: Film boiling regime 267

James, B.W., Wostenholm, G.H., Morton, N.
The restivity of the ß-W compounds 131
Jolls, K.R. and Willers, G.P.
Computer generated phase diagrams for ethylene and propylene 329
Jones, M.C., Arp, V.D.
Review of hydrodynamics and heat transfer for large helium cooling systems 483
Jones, M.C., Yeroshenko, V.M., Starostin, A. and Yaskin, L.A.
Transient behaviour of helium-cooled current leads for superconducting power transmission 337

Kalekin, Yu.V., Volotskaya, V.G., Bogdzevich, A., Musienko, L.E.
Critical heat flux in He-II for narrow films 557
Kaminskii, A.S., Pokrovskii, Ya.E. and Poteshin, S.V.
A cooled photoreister based on n-type germanium alloyed with copper 353
Kamiyama, S., Akiyama, M., Okuda, M., Oshima, K., Ishizaki, Y.
The utilization of LH_2 and LNG cold for generation of electric power by a cryogenic type Stirling Engine .....(Nov) 617
Karnaukhov, I.M., Lukhanin, A.A., Sorokin, P.V., Sporov, E.A., Derkach, A.Ya.
A superconducting magnet system of a polarized proton target 539
Kataev, G.I., Posyado, V.P., Chuprikov, G.E., Nikitin, S.A.
The use of a terbium single crystal for concentrating the magnetic flux in superconducting solenoids 153

Kemp, R.C., Besley, L.M.
Two-point calibration of standard capsule platinum resistance thermometers for the range 13.81 K to 273.15 K 497
Kemp, R.C., White, G.K.
Worldwide cryogenics Australian National Measurement Laboratory and cryogenics .....(Nov) 579
Keptya, V.F., Kul'bachinskii, V.A., Minina, N.Ya., Brandt, N.B.
A device for high uniaxial compression of single crystal specimens at low temperatures 163
Kim, S.H., Linz, R.J., Turner, A.P., Fisher, E.S.
Effect of cyclic strains on electrical conductivity and work hardening of copper at 4.2 K 405
Kirichenko, Yu.A., Kozlov, S.M., Levchenko, N.M., Rusanov, K.V.
Effect of cylindrical heater dimensions on critical heat fluxes boiling of cryogenic liquids .....(Nov) 621
Klimenko, A.V., Antipov, V.I., Grigoriev, B.A. and Pavlov, Yu.M.
Certain peculiarities of heat transfer in nucleate boiling in capillary tubes 675
Klipping, G., Klipping, I., Menzel, J., Ruppert, U., Denner, H.D.
Flow of helium II through porous plugs 166
Klipping, I., Menzel, J., Ruppert, U., Denner, H.D., Klipping, G.
Flow of helium II through porous plugs 166
Konicek, J., Ota, J., Pavlov, V.N., Neganov, B.S.
A combined He^3–He^4 dilution refirgerator 115
Kosichkin, Yu.V, Kotlov, Yu.N., Nadezhdinskii, A.I. and Anzin, V.B.
A continuous flow helium cryostat for optical studies at fixed high pressure 351
Kotlov, Yu.N., Nadezhdinskii, A.I., Anzin, V.B. and Kosichkin, Yu.V.
A continuous flow helium cryostat for optical studies at fixed high pressure 351
Kozlov, S.M., Levchenko, N.M., Rusanov, K.V., Kirichenko, Yu.A.
Effect of cylindrical heater dimensions on critical heat fluxes during boiling of cryogenic liquids ....(Nov) 621
Kozlovskii, L.K., Stavisskii, Yu.Ya., Tambovtsev, D.I., Gonin, N.N.
Electrical contact at helium temperature to evaporated gold film in a silicon detector 57
Kozlovskii, L.K., Stavisskii, Yu.Ya., Tambovtsev, D.I., Gonin, N.N.
Vacuum tight heat bridge for use at temperatures below 0.1 K 57
Krafft, G., Zahn, G.
A reciprocating liquid helium pump used for forced flow of supercritical helium 112
Kraidenov, V.F., Syzranov, V.S. and Itskevich, E.S.
Measurement of the low temperature heat capacity of metals under pressure 281
Kramer, K.D., Philipp, A. and Lüders, K.
On rf-magnetoresistance and flux flow resistivity of NbTi 641
Krasnoperov, E.P., Pozharov, A.M., Rubinov, V.L., Anan'ev, L.L.
A small radio-frequency superconducting resonance circuit 447
Krishna Murthy, M.V., Srinivasa Murthy, S.
Estimation of steady state heat leak into cylindrical cryogenic liquid containers .....(Oct) 611
Krusius, M., Paulson, D.N., Wheatley, J.C.
Properties of sintered copper powders and their application in a nuclear refirgerator with precise temperature control 649
Krylov, V.V., Zel'dovich, A.G., Agapov, N.N., Ageev, A.I., Belushkin, V.A.
Study of a liquid helium jet pump for circulating refrigeration systems 491
Kul'bachinskii, V.A., Minina, N.Ya., Brandt, N.B., Keptya, V.F.
A device for high uniaxial compression of single crystal specimens at low temperatures 163
Kuono, T., Noguchi, Y., Ueguri, S., Fujita, H.
Breakdown voltages of gaseous N_2 and air from normal to cryogenic temperatures 195
Kurti, N.
From Cailletet and Pictet to Microkelvin 451
Kutateladze, S.S., Lutset, M.O. and Lvovsky, Yu.M.
Normal zone propagation in a superconductor carrying time-dependent current 310

Laeger, H.
Long flexible transfer lines for gaseous and liquid helium 659
Lagan, J.M., Wojtaszek, Z., Szczepaniec-Cięciak, E., Dąbrowska, B.
Estimation of the solubility of solidified substances in liquid methane by the Preston-Prausnitz method .....(Oct) 591
Lengeler, H.
rf superconductivity: expectations and achievements 465
Lerner, E., Souza, E.P., Rapp, R.E.
A cryostat for measuring specific heats of absorbed gases at low temperatures 646
Levchenko, N.M., Rusanov, K.V., Kirichenko, Yu.A., Kozlov, S.M.
Effect of cylindrical heater dimensions on critical heat fluxes during boiling of cryogenic liquids ....(Nov) 621
Lewis, K.G., Sutton, J., Bibby, C.W., Carter, C.N., Noe, J.A.
Current tests on a flexible superconducting core for a 2 GVA ac cable 143
Lim, C.S., Tward, E., Ramadan, B., Strayer, D., Papini, G.
Quality factors of quartz crystals for use as gravitational wave antennae ..... (Nov) 615
Linz, R.J., Turner, A.P., Fisher, E.S., Kim, S.H.
Effect of cyclic strains on electrical conductivity and work hardening of copper at 4.2 K 405
Lüders, K., Kramer, K.D. and Philipp, A.
On rf-magnetoresistance and flux flow resistivity of NbTi 641
Ludtke, P.R. and Daney, D.E.
Friction factors for flow of near-critical helium in curved tubes 345
Lukhanin, A.A., Sorokin, P.V., Sporov, E.A., Derkach, A.Ya., Karnaukhov, I.M.
A superconducting magnet system of a polarized proton target 539

Lutset, M.O., Lvovsky, Yu.M. and Kutateladze, S.S.
Normal zone propagation in a superconductor carrying time-dependent current 310
Lovovsky, Yu.M., Kutateladze, S.S. and Lutset, M.O.
Normal zone propagation in a superconductor carrying time-dependent current 310
Macfarlane, J.C.
The low-temperature resistivity of platinum-rhodium alloys 668
Martin, D.J., Prothero, N.P.S., Swinbourne, A.C.
Simple system for measuring small dc voltages to + 15 nV using cmos analogue gates at low temperature .....(Oct) 623
Martinelli, A.P., Turck, B.
Some effects of field orientation on the magnetization of superconducting wires 155
Maruyama, N., Ishikawa, K.
Fracture and strength of mig welded Fe–13% Ni–3% Mo alloy for cryogenic service .....(Oct) 585
Mathu, F., Goldschvartz, J.M.
Absolute temperature stabilized below the lambda point: the adritron 564
Mathu, F., Goldschvartz, J.M.
Another lambda tight cement .....(Oct) 620
Mazuer, J.
Miniature superconducting high frequency coaxial lines 39
McClintock, P.V.E.
Liquid level detector for a pumped bath of He II 183
McClintock, P.V.E.
An apparatus for preparing isotopically pure He^4 201
McClintock, P.V.E., Richardson, L.J.
A miniature continuously filled He^4 cryostat 109
McIntosh, G.E., Hilal, M.A., Stone, E.L., VanSciver, S.W.
Unit helium requirements for superconductive energy applications in the USA 415
McLachlan, D.S.
Simple level detectors, depth gauges and demonstrations of superconductivity based on In Pb covered manganin wire 618
Meachin, A.J., Biddulph, M.W.
The effect of high magnetic fields on the vapour pressures of nitrogen, oxygen and argon 29
Menzel, J., Ruppert, U., Denner, H.D., Klipping, G., Klipping, I.
Flow of helium II through porous plugs 166
Migliori, A., Schermer, R.I., Henke, M.D.
Dielectric tracking in liquid helium 443
Miller, A.C., Jr., Shofner, F.M. and Harrison, W.E., Jr.
Principles and performance of a new aerosol detector in cryogenic systems 363
Minina, N.Ya., Brandt, N.B., Keptya, V.F., Kul'bachinskii, V.A.
A device for high uniaxial compression of single crystal specimens at low temperatures 163
Morton, N., James, B.W., Wostenholm, G.H.
The resistivity of the ß-W compounds 131
Moze, O., Barclay, J.A., Paterson, L., Bingham, D.
Low temperature thermal conductivity of $Gd_2(SO_4)_3 8H_20$ and $Dy_2Ti_2O_7$ as a function of magnetic field 535
Musienko, L.E., Kalekin, Yu.V., Volotskaya, V.G. Bogdzevich, A.
Critical heat flux in He-II for narrow films 557
Nadezhdinskii, A.I., Anzin, V.B., Kosichkin, Yu.V. and Kotlov, Yu.N.
A continuous flow helium cryostat for optical studies at fixed high pressure 351
Nagano, H., Oda, Y., Fujii, G.
Practical design of heat exchanger for dilution refrigerator 1 73
Nagraba, K., Szczepaniec-Cieciak, E.
The solubility of solidified toluene in liquid notrogen .....(Oct) 601
Neganov, B.S., Konicek, J., Ota, J., Pavlov, V.N.
A combined He^3-He^4 dilution refrigerator 115
Nikitin, S.A., Kataev, G.I., Posyado, V.P. Chuprikov, G.E.
The use of a terbium single crystal for concentrating the magnetic flux in superconducting solenoids 153
Nishijima, S., Okada, T.
Low temperature irradiation effects on mechanical properties of epoxy used in superconducting magnets 215
Noe, J.A., Lewis, K.G., Sutton, J., Bibby, C.W., Carter, C.N.
Current tests on a flexible superconducting core for a 2 GVA ac cable 143
Noguchi, Y., Ueguri, S., Fuijita, H., Kuono, T.
Breakdown voltages of gaseous N_2 and air from normal to cryogenic temperatures 195
Nolt, I.G., Radostitz, J.V., Ostermeier, R.M.
Capillary confinement of cryogens for refrigeration and liquid control in space 83
Noto, K., Wener, H.G., Huebener, R.P.
Precise temperature control by a manostat utilizing a sheet of a thin-film material .....(Nov) 626
Novinskii, N.A., Zhilkin, B.M. and Evseev, I.I.
Quartz thermometer with a field-access transistor oscillator 371
Oda, Y., Fujii, G., Nagano, H.
Practical design of heat exchanger for dilution refigerator 1 73
Odehnal, M., Petříček, V., Tichy, R., Tomášek, F.
Low-level SQUID magnetometry of the human heart in a small ferromagnetic enclosure 427
Okada, T., Nishijima, S.
Low temperature irradiation effects on mechanical properties of epoxy used in superconducting magnets 215
Okasha, O. and Eysaa, Ÿ.M.
Thermodynamic optimization of thermal radiation shields for a cryogenic apparatus 305
Okuda, M., Oshima, K., Ishizaki, Y., Kamiyana, S., Akiyama, M.
The utilization of LH_2 and LNG cold for generation of electric power by a cryogenic type Stirling Engine .....(Nov) 617
Oshima, K., Ishizaki, Y., Kamiyama, S., Akiyama, M., Okuda, M.
The utilization of LH_2 and LNG cold for generation of electric power by a cryogenic type Stirling Engine .....(Nov) 617

Ostermeier, R.M., Nolt, I.G., Radostitz, J.V.
Capillary confinement of cryogens for refrigeration and liquid control in space 83
Ostman, P., Islander, S.
An intercomparison of a Cu nuclear susceptibility thermometer and an 119 Sn Mössbauer effect thermometer between 6 mK and 1 mK .....(Oct) 614
Ota, J., Pavlov, V.N., Neganov, B.S., Konicek, J.
A combined He^3-He^4 dilution refrigerator 115
Ovcharenko, V.A.
Large superconducting magnets – a key issue in commercialization of MHD 358
Overton, Jr., W.C., Tsai, C.L., Weinstock, H.
Low temperature thermal conductivity of stycast 2850 FT 562
Overweg, J.A., Walter-Peters, M.J.
The designing of a system of adjustable superconducting plates for balancing a gradiometer 529

Papini, G., Lim, C.S., Tward, E., Ramadan, B., Strayer, D.
Quality factors of quartz crystals for use as gravitational wave antennae .....(Nov) 615
Paterson, L., Bingham, D., Moze, O., Barclay, J.A.
Low temperature thermal conductivity of $Gd_2(SO_4)_3 8H_2O$ and $Dy_2Ti_2O_7$ as a function of magnetic field 535
Paulson, D.N., Wheatley, J.C., Krusius, M.
Properties of sintered copper powders and their application in a nuclear refrigerator with precise temperature control 649
Pavlov, V.N., Neganov, B.S., Konicek, J., Ota, J.
A combined He^3-He^4 dilution refrigerator 115
Pavlov, Yu.M., Klimenko, A.V., Antipov, V.I. and Grigoriev, B.A.
Certain peculiarities of heat transfer in nucleate boiling in capillary tubes 675
Petřiček, V., Tichy, R., Tomášek, F., Odehnal, M.
Low-level SQUID magnetometry of the human heart in a small ferromagnetic enclosure 427
Philipp, A., Lüders, K. and Kramer, K.D.
On rf-magnetoresistance and flux flow resistivity of NbTi 641
Pinheiro, M. De F.F. and Rosenberg, H.M.
Carbon-fibre reinforced composites with zero expansion in the low temperature range 373
Podkuyko, V.P., Pustovalov, V.V.
Peculiar mechanical properties of aluminium-magnesium, aluminium-copper and aluminium-zinc alloys at low temperature range .....(Nov) 589
Polturak, E., Rappaport, M., Rosenbaum, R.
Improved thermal contact to unmodified carbon resistors 27
Polturak, E., Rosenbaum, R.
A simple concentric heat exchanger 563
Pokrovskii, Ya.E., Poteshin, S.V. and Kaminskii, A.S.
A cooled photoresistor based on n-type germanium alloyed with copper 353
Polturak, E., Rappaport, M., Rosenbaum, R.
Improved thermal contact to unmodified carbon resistors 27
Popov, V.P., Skibina, L.V., Chernik, M.M., Ilichev, V.Ya.
Temperature dependence of linear expansion coefficient of some Fe-Cr-Ni alloys in the temperature range 4.2 to 300 K 90
Posyado, V.P., Chuprikov, G.E., Nikitin, S.A., Kataev, G.I.
The use of a terbium single crystal for concentrating the magnetic flux in superconducting solenoids 153
Poteshin, S.V., Kaminskii, A.S. and Pokrovskii, Ya.E.
A cooled photoresistor based on n-type germanium alloyed with copper 353
Powell, R.L., Clark, A.F.
Definitions of terms for practical superconductors 2. Critical parameter 137
Pozharov, A.M., Egorov, N.V. and Anan'ev, L.L.
A cooled amplifier with field effect transistors having a noise temperature of 1 K 308
Pozharov, A.M., Rubinov, V.L., Anan'ev, L.L., Krasnoperov, E.P.
A small radio-frequency superconducting resonance circuit 447
Prentslau, N.N., Bobryshev, V.D., Verkin, B.I., Dmitriev, V.M.
Cryogenics high-frequency stable systems with mode-conversion cavities .....(Nov) 601
Prothero, N.P.S., Swinbourne, A.C., Martin, D.J.
Simple system for measuring small dc voltages to ± 15 nV using cmos analogue gates at low temperatures .....(Oct) 623
Purcell, C.J., Stoink, G., Blackford, B.L.
A rolling superconducting contact 566
Pustovalov, V.V., Podkuyko, V.P.
Peculiar mechanical properties of aluminium-magnesium, aluminium-copper and aluminium-zinc alloys at low temperatures .....(Nov) 589

Quack, H., Schmid, C., Eber, N.
Gas bearing turbines with dynamic gas bearings and their application in helium refrigerators .....(Nov) 585

Radostitz, J.V., Ostermeier, R.M., Nolt, I.G.
Capillary confinement of cryogens for refrigeration and liquid control in space 83
Rahim, M.H.S.
A cryostat enabling thermal conductivity measurements of specimens deformed plastically at liquid helium temperatures 355
Ramadan, B., Strayer, D., Papini, G., Lim, C.S., Tward, E.
Quality factors of quartz crystals for use as gravitational wave antennae .....(Nov) 615
Rapp, R.E., Lerner, E., Souza, E.P.
A cryostat for measuring specific heats of absorbed gases at low temperatures 646
Rappaport, M., Rosenbaum, R., Polturak, E.
Improved thermal contact to unmodified carbon resistors 27
Ratnam, B.A., Dharmadurai, G.
Proximity-effect bridges with externally controllable electrical characteristics 553
Ratnam, B.A., Dharmadurai, G.
A very stable automatic pressure controller (Oct) 617

Read, D.T.
Metallurgical effects in niobium-titanium alloys ..... (Oct) 579
Reid, R.C., Wang, R.
The boiling rates of LNG on typical dike floor materials 401
Richardson, L.J., McClintock, P.V.E.
A miniature continuously filled He^4 cryostat 109
Romanyuk, A.S., Zenkevitch, V.B., Zheltov, V.V.
Hysteresis losses in superconductors of round cross section with collective interaction 93
Roosegaards Bisschop, E.F., van der Meij, J.A.M. and van Dijk, M.H.H.
Application of a SQUID to record magnetic ion concentration in maser crystals 263
Rosenberg, H.M. and Pinheiro, M. De F.F.
Carbon-fibre reinforced composites with zero expansion in the low temperature range 373
Rosenbaum, R., Polturak, E.
A simple concentric heat exchanger 563
Roux, J.P., Chaussy, J., Escalon, G., Gianese, P.
Easily demountable elastometer seal for cryogenic applications 501
Rubin, L.G., Sample, H.H.
Magnetic field induced temperature changes in cryogenic liquids: N_2, Ar, and He^4 223
Rubinov, V.L., Anan'ev, L.L., Krasnoperov, E.P., Pozharov, A.M.
A small radio-frequency superconducting resonance circuit 447
Rupp, G.
Effect of bronze on the compression of Nb_3Sn in multifilamentary conductors 663
Ruppert, U., Denner, H.D., Klipping, G., Klipping, I., Menzel, J.
Flow of helium II through porous plugs 166
Rusanov, K.V., Kirichenko, Yu.A., Kozlov, S.M., Levchenko, N.M.
Effect of cylindrical heater dimensions on critical heat fluxes during boiling of cryogenic liquids ....(Nov) 621

Saffert, R., Schöteich, H., Gmelin, E.
Multipurpose-cryostat for low temperature electron irradiation of semi-conductors .....(Nov) 596
Sample, H.H., Rubin, L.G.
Magnetic field induced temperature changes in cryogenic liquids: N_2, Ar, and He^4 223
Sander, W., Comberg, A., Ewert, S.
Calorimeter for heat capacity measurements on quench-condensed thin metallic films in the range 0.6–4.4 K 79
Schauer, F.
High vacuum bushings for cryogenic applications .259
Scherer, M., Turowski, P.
Investigation of the propagation velocity of a normal conducting zone in technical superconductors 515
Schermer, R.I., Henke, M.D., Migliori, A.
Dielectric tracking in liquid helium 443
Schmid, C., Eber, N., Quack, H.
Gas bearing turbines with dynamic gas bearings and their application in helium refrigerators .....(Nov) 585
Schmidt, C.
The induction of a propagating normal zone (quench) in a superconductor by local energy release .....(Oct) 605
Schönteich, H., Gmelin, E., Saffert, R.
Multipurpose-cryostat for low temperature electron irradiation of semi-conductors 596
Schumacher, G., Thoulouze, D., Frossati, G. and Hebral, B.
Double mixing chamber system on dilution refrigeration 277
Scurlock, R.G. and Islam, M.S.
Analysis of solid vapour heat transfer in helium vapour columns at low temperatures 323
Scurlock, R.G., Utton, D.B.
The zero mechanical work thermal compressor or pump in the high speed rotating frame 233
Sellmyer, D.J., Gerber, J.A.
Anomalous behaviour of silicon diode thermometers .....(Oct) 619
Severijns, A.P., Stass, F.A., Cense, W.A.
An improved He^3-He^4 mixing chamber for single-cycle experiments 87
Shelgunov, G.Ya, Dinaburg, L.B., Fokeev, V.F.
A circulating cooling system based on a commercial G-3 helium liquifier 231
Shiryapov, I.P. and Dzhioev, R.I.
A glass helium cryostat for optical and magneto-optical studies 304
Shofner, F.M., Harrison, W.E., Jr., Miller, A.C., Jr.
Principles and performance of a new aerosol detector in cryogenic systems 363
Silaev, V.I., Belyaeva, A.I. and Stel'makhov, Yu.N.
A device for obtaining temperatures in the range 4.2 to 300 K in the presence of appreciable heat flux to the specimen 299
Singer, S.J.
Automatic thermal cycling apparatus 11
Skibina, L.V., Chernik, M.M., Ilichev, V.Ya., Popov, V.P.
Temperature dependence of linear expansion coefficient of some Fe-Cr-Ni alloys in the temperature range 4.2 to 300 K 90
Smith, T.F., Carr, R.H. and White, G.K.
Thermal expansion of Cr, Mo and W at low temperatures 301

Smrcka, L., Svoboda, P.
The squid picovoltmeter operating in magnetic fields up to 3-2T 670
Sorokin, P.V., Sporov, E.A., Derkach, A.Ya., Karnaukhov, I.M., Lukhanin, A.A.
A superconducting magnet system of a polarized proton target 539
Souza, E.P., Rapp, R.E., Lerner, E.
A cryostat for measuring specific heats of absorbed gases at low temperatures 646
Sporov, E.A., Derkach, A.Ya., Karnaukhov, I.M., Lukhanin, A.A., Sorokin, P.V.
A superconducting magnet system of a polarized proton target 539
Srinivasa Murthy, S., Krishna Murthy, M.V.
Estimation of steady state heat leak into cylindrical cryogenic liquid containers .....(Oct) 611

Starostin, A., Yaskin, L.A., Jones, M.C. and Yeroshenko, V.M.
Transient behaviour of helium-cooled current leads for superconducting power transmission 337
Stass, F.A., Cense, W.A., Severijns, A.P.
An improved He^3-He^4 mixing chamber for single-cycle experiments 87
Stavisskii, Yu.Ya., Tambovtsev, D.I., Gonin, N.N., Kozlovskii, L.K.
Electrical contact at helium temperature to evaporated gold film in a silicon detector 57
Stavisskii, Yu.Ya., Tambovtsev, D.I., Gonin, N.N., Kozlovskii, L.K.
Vacuum tight heat bridge for use at temperatures below 0.1 K 57
Stel'makhov, Yu.N., Šilaev, V.I. and Belyaeva, A.I.
A device for obtaining temperatures in the range 4.2 to 300 K in the presence of appreciable heat flux to the specimen 299
Stewart, G.R.
Specific heat of EPO-TEK H31 LV and H62 epoxies 120
Steyert, W.A., Stone, N.J.
Low flow velocity fine-screen heat exchangers and vapour cooled current leads .....(Nov) 627
Stoink, G., Blackford, B.L., Purcell, C.J.
A rolling superconducting contact 566
Stone, E.L., Van Sciver, S.W., McIntosh, G.E., Hilal, M.A.
Unit helium requirements for superconductive energy applications in the USA 415
Stone, N.J., Steyert, W.A.
Low flow velocity fine-screen heat exchangers and vapour cooled current leads .....(Nov) 627
Strayer, D., Papini, G., Lim, C.S., Tward, E., Ramadan, B.
Quality factors of quartz crystals for use as gravitational wave antennae .....(Nov) 615
Sumiyoshi, F., Irie, F., Yoshida, K.
Magnetic field dependence of ac losses in multifilamentary superconducting wires 209
Sutton, J., Bibby, C.W., Carter, C.N., Noe, J.A., Lewis, K.G.
Current tests on a flexible superconducting core for a 2 GVA ac cable 143
Svoboda, P., Smrcka, L.
The squid picovoltmeter operating in magnetic fields up to 3-2T 670
Swift, D.A.
A flexible superconducting ac cable: radial thermal contraction and the x-ray examination of a sample length of cold core 33
Swinbourne, A.C., Martin, D.J., Prothero, N.P.S.
Simple system for measuring small dc voltages to + 15 nV using cmos analogue gates at low temperatures .....(Oct) 623
Syzranov, V.S., Itskevich, E.S. and Kraidenov, V.F.
Measurement of the low temperature heat capacity of metals under pressure 281
Szczepaniec-Cięciak, E., Dąbrowska, B., Lagan, J.M., Wojtaszek, Z.
Estimation of the solubility of solidified substances in liquid methane by the Preston-Prausnitz method .....(Oct) 591
Szczpaniec-Cięciak, E., Nagraba, K.
The solubility of solidified toluene in liquid notrogen .....(Oct) 601
Szymborski, K., Byszewski, P., Cieplak, M.Z.
Continuous flow cryostats for measurements in pulsed magnetic fields 56
Taconis, K.W.
Dilution refrigeration 459
Tambovtsev, D.I., Gonin, N.N., Kozlovskii, L.K., Stavisskii. Yu.Ya.
Electrical contact at helium temperature to evaporated gold film in a silicon detector 57
Tambovtsev, D.I., Gonin, N.N., Kozlovskii, L.K., Stavisskii, Yu.Ya.
Vacuum tight heat bridge for use at temperatures below 0.1 K 57
Tichy, R., Tomášek, F., Odehnal, M., Petříček, V.
Low-level SQUID magnetometry of the human heart in a small ferromagnetic enclosure 427
Tien, C.L., Bejan, A.
Effect of axial conduction and metal-helium heat transfer on the local stability of superconducting composite media 433
Thirumaleshwar, M.
Design of thermal system for thermovacuum chambers .....(Nov) 607
Thoulouze, D., Frossati, G., Hebral, B. and Schumacher, G.
Double mixing chamber system on dilution refrigeration 277
Tomášek, F., Odehnal, M., Petříček, V., Tichy, R.
Low-level SQUID magnetometry of the human heart in a small ferromagnetic enclosure 427
Tsai, C.L., Weinstock, H., Overton, Jr., W.C.
Low temperature thermal conductivity of stycast 2850 FT 562
Turck, B., Martinelli, A.P.
Some effects of field orientation on the magnetization of superconducting wires 155
Turner, A.P., Fisher, E.S., Kim, S.H., Linz, R.J.
Effect of cyclic strains on electrical conductivity and work hardening of copper at 4.2 K 405
Turowski, P., Scherer, M.
Investigation of the propagation velocity of a normal conducting zone in technical superconductors 515
Turowski, P., Goll, W.
Quenching of technical superconductors by heat and magnetic field pulses 103
Tward, E., Ramadan, B., Strayer, D., Papini, G., Lim, C.S.
Quality factors of quartz crystals for use as gravitational wave antennae .....(Nov) 615

Ueguri, S., Fujita, H., Kuono, T., Noguchi, Y.
Breakdown voltages of gaseous N_2 and air from normal to cryogenic temperatures 195
Usmanov, R.Sh.
A method for applying strong electric fields in electron paramagnetic resonance at low temperatures 542
Utton, D.B., Scurlock, R.G.
The aero mechanical work thermal compressor or pump in the high speed rotating frame 233

Vagh, A.S.
A proposed new and quick method for measuring surface tension of liquid helium 100
van der Meij, J.A.M., van Difk, M.H.H. and Roosegaarde Bisschop, E.F.
Application of a SQUID to record magnetic ion concentration in maser crystals 263
van Dijk, M.H.H., Roosegaards Bisschop, E.F. and van der Meij, J.A.M.
Application of a SQUID to record magnetic ion concentration in maser crystals 263
Van Sciver, S.W.
Kapiza conductance of aluminium and heat transport through subcooled He II 521
Van Sciver, S.W., McIntosh, G.E., Hilal, M.A., Stone, E.L.
Unit helium requirements for superconductive energy applications in the USA 415
Verkin, B.I., Dmitriev, V.M., Prentslau, N.N., Bobryshev, V.D.
Cryogenics high-frequency stable systems with mode-conversion cavities ..... (Nov) 601
Vincett, P.S.
Dielectric losses in a polyethylene insulated superconducting cable between 4 and 22 K 543
Volotskaya, V.G., Bogdzevich, A., Musienko, L.E., Kalekin, Yu.V.
Critical heat flux in He-II for narrow films 557

Walter, H.
Coupling for vent gas cooled transfer lines 315
Walter-Peters, M.J., Overweg, J.A.
The designing of a system of adjustable superconducting plates for balancing a gradiometer 529
Wang, R., Reid, R.C.
The boiling rates of LNG on typical dike floor materials 401
Watson, A.
The nature of wall temperature distributions in regions of deteriorated heat transfer 349
Weinstock, H., Overton, Jr., W.C., Tsai, C.L.
Low temperature thermal conductivity of stycast 2850 FT 562
Weiss, O.
Linde AG and cryogenics 635
Wener, H.G., Huebener, R.P., Noto, K.
Precise temperature control by a manostat utilizing a sheet of a thin-film material .....(Nov) 626
Wheatley, J.C., Krusius, M., Paulson, D.N.
Properties of sintered copper powders and their application in a nuclear refrigerator with precise temperature control 649
White, G.K., Smith, T.F. and Carr, R.H.
Thermal expansion of Cr, Mo and W at low temperatures 301
White, G.K., Kemp, R.C.
Worldwide cryogenics Australian National Measurement Laboratory and cryogenics 579
Willers, G.P. and Jolls, K.R.
Computer generated phase diagrams for ethylene and propylene 329
Wilson, M.N., Iwasa, Y.
Stability of superconductors against disturbances of limited magnitude 17
Wilson, M.N., Edwards, V.W.
The effect of adhesion between turns on the training of superconducting magnets 423
Wojtaszek, Z., Szczepaniec-Cięciak, E., Dąbrowska, B., Lagan, J.M.
Estimation of the solubility of solidified substances in liquid methane by the Preston-Prausnitz method ..... (Oct) 591
Wolf, P.
Low-temperature superconducting electronic and computer circuits 478
Wood, G.H.
The relative stability of the thermal electromotive force of stranded and solid copper wires in a cryogenic environment 220
Wostenholm, G.H., Morton, N., James, B.W.
The restivity of the ß-W compounds 131

Yaskin, L.A., Jones, M.C., Yeroshenko, V.M. and Starostin, A.
Transient behaviour of helium-cooled current leads for superconducting power transmission 337
Yeroshenko, V.M., Starostin, A., Yaskin, L.A. and Jones, M.C.
Transient behaviour of helium-cooled current leads for superconducting power transmission 337
Yoshida, K., Sumiyoshi, F., Irie, F.
Magnetic field dependence of ac losses in multifilamentary superconducting wires 209

Zahn, G., Krafft, G.
A reciprocating liquid helium pump used for forced flow of supercritical helium 112
Zar, J., Becker, F.E., Hatch, A.M.
Design of superconducting magnets for full scale MHD generators 67
Zel'dovich, A.G., Agapov, N.N., Ageev, A.I., Belushkin, V.A., Krylov, V.V.
Study of a liquid helium jet pump for circulating systems 491
Zenkevitch, V.B. and Zheltov, V.V.
Hysteresis losses in a superconducting plate 289
Zenkevitch, V.B., Zheltov, V.V., Romanyuk, A.S.
Hysteresis losses in superconductors of round cross section with collective interaction 93
Zheltov, V.V. and Zenkevitch, V.B.
Hysteresis losses in a superconducting plate 289
Zheltov, V.V., Romanyuk, A.S., Zenkevitch, V.B.
Hysteresis losses in superconductors of round cross section with collective interaction 93
Zhilkin, B.M., Evseev, I.I. Novinskii, N.A.
Quartz thermometer with a field-access transistor oscillator 371

Book Reviews

Amorphous magnetism II
Edited by R.A. Levy and R. Hasegawa
Reviewed by G. Gehring 255

Anisotropy effects in superconductors
Edited by H.W. Weber
Reviewed by J.E. Evetts 254

Helium – international thermodynamic tables of the fluid state – 4
S. Angus and K.M. de Reuck on the basis of tables and equations published by R.D. McCarthy
Pergamon Press, Oxford 265 pp 375

Introduction to superconductivity
A.C. Rose Innes and E.M. Rhodriclz
Reviewed by F.J. Brown 681

A new correlation method for thermodynamic data applied to the vapour pressure curves of argon, nitrogen and water
Reviewed by W. Wagner 122

Stabilization of superconducting magnet systems
V.A. Altov, V.B. Zenkevich, M.G. Kremlev, V.V. Sychev
Reviewed by M.N. Wilson 571

Superconductivity
Edited by N.G. Basov 681

Superconductivity in d- and f-bound metals
Edited by D.H. Douglass
Reviewed by G. Rickayzen 184

The thermodynamic properties of water up to 1200 K and 3000 bar
Reviewed by R. Pollak 122

Conference Reports

Advances in Refrigeration at the lowest temperatures 506

Cryo 78 502

ICEC 7 (London, UK July 4 – 7 1978) 625

Joint CEC-ICMC conference (Boulder, Colorado, USA) 246

LNG-5 (Dusseldorf, FRG) 46

Non metallic materials and composites at low temperatures (Munich, FRG 10 – 11 July 1978) 683

Swedish National Physics Conference 569

Letters

Comments on papers by Bandopadhyay and Gupta on low temperature Grüneisen parameters of nickel and aluminium
J.G. Collins 570

Comments on papers by Grigoriev et al
W.B. Bald 59

Papers

Analysis of solid vapour heat transfer in helium vapour columns at low temperatures
M.S. Islam and R.G. Scurlock 323

Analytical study of laminar free convection heat transfer to supercritical helium
M.A. Hilal 545

Apparatus for preparing isotopically pure He^4, An
P.V.E. McClintock 201

Application of a SQUID to record magnetic ion concentration in maser crystals
M.H.H. van Dijk, E.F. Roosegaarde Bisschop and J.A.M. van der Meij 263

Automatic thermal cycling apparatus
S. Basavaiah, S.J. Singer 11

Boiling rates of LNG on typical dike floor materials, The
R.C. Reid, R.Wang 401

Breakdown voltages of gaseous N_2 and air from normal to cryogenic temperatures
H. Fujita, T. Kuono, Y. Noguchi, S. Ueguri 195

Cailletet and Pictet to Microkelvin, From
N. Kurti 451

Calorimeter for heat capacity measurements on quench-condensed thin metallic films in the range 0.6-4.4 K
A. Comberg, S. Ewert, W. Sander 79

Capillary confinement of cryogens for refrigeration and liquid control in space
R.M. Ostermeier, I.G. Nolt, J.V. Radostitz 83

Certain peculiarities of heat transfer in nucleate boiling in capillary tubes
V.A. Grigoriev, Yu.M. Pavlov, A.V. Klimenko and V.I. Antipov 675

Circulating cooling system based on a commercial G-3 helium liquifier, A
L.B. Dinaburg, V.F. Fokeev, G.Ya. Shelgunov 231

Combined He^3-He^4 dilution refrigerator, A
V.N. Pavlov, B.S. Neganov, J. Konicek, J. Ota 115

Computer generated phase diagrams for ethylene and propylene
K.R. Jolls and G.P. Willers 329

Continuous flow helium cryostat for optical studies at fixed high pressure, A
V.B. Anzin, Yu.V. Kosichkin, Yu.N. Kotlov and A.I. Nadezhdinskii .351

Cooled amplifer with field effect transistors having a noise temperature of 1 K, A
L.L. Anan'ev, A.M. Pozharov and N.V. Egorov ..308

Cooled photoresistor based on n-type germanium alloyed with copper, A
A.S. Kaminskii, Ya.E. Pokrovskii and S.V. Poteshin 353

Critical heat flux in He-II for narrow films
V.G. Volotskaya, A. Bogdzevich, L.E. Musienko, Yu.V. Kalekin 557

Cryogenics high-frequency stable systems with mode-conversion cavities
V.D. Bobryshev, B.I. Verkin, V.M. Dmitriev, N.N. Prentslau .....(Nov) 601

Cryostat enabling thermal conductivity measurements of specimens deformed plastically at liquid helium temperatures, A
M.H.S. Rahim 355

Cryostat for measuring specific heats of absorbed gases at low temperatures, A
E.P. Souza, R.E. Rapp, E. Lerner 646

Current tests on a flexible superconducting core for a 2 GVA ac cable
K.G. Lewis, J. Sutton, C.W. Bibby, C.N. Carter, J.A. Noe 143

Definitiions of terms for practical superconductors 2. Critical parameters
R.L. Powell, A.F. Clark 137

Design of superconducting magnets for full scale MHD generators
A.M. Hatch, J. Zar, F.E. Becker 67

Design of thermal system for thermovacuum chambers
M. Thirumaleshwar 607

Designing of a system of adjustable superconducting plates for balancing a gradiometer, The
J.A. Overweg, M.J. Walter-Peters 529

Device for high uniaxial compression of single crystal specimens at low temperatures, A
N.B. Brandt, V.F. Keptya, V.A. Kul'bachinskii, N.Ya. Minina 163

Device for obtaining temperatures in the range 4.2 to 300 K in the presence of appreciable heat flux to the specimen, A
V.I. Silaev, A.I. Belyaeva and Yu.N. Stel'makhov .299

Dielectric losses in a polyethylene insulated superconducting cable between 4 and 22 K
P.S. Vincett 543

Dielectric tracking in liquid helium
A. Migliori, R.I. Schermer, M.D. Henke 443

Dilution refrigeration
K.W. Taconis 459

Distribution of current among the filaments of a multifilamentary superconductor close to the input leads
L. Dresner 285

Double mixing chamber system on dilution refrigeration
G. Frossati, B. Hebral, G. Schumacher and D. Thoulouze 277

Effect of adhesion between turns on the training of superconducting magnets, The
V.W. Edwards, M.N. Wilson 423

Effect of axial conduction and metal-helium heat transfer on the local stability of superconducting composite media
A. Bejan, C.L. Tien 433

Effect of bronze on the compression of Nb_3Sn in multifilamentary conductors
G. Rupp 663

Effect of cyclic strains on electrical conductivity and work hardening of copper at 4.2 K
E.S. Fisher, S.H. Kim, R.J. Linz, A.P. Turner 405

Effect of cylindrical heater dimensions on critical heat fluxes during boiling of cryogenic liquids
Yu.A. Kirichenko, S.M. Kozlov, N.M. Levchenko, K.V. Rusanov .....(Nov) 621

Effect of high magnetic fields on the vapour pressures of nitrogen, oxygen and argon, The
A.J. Meachin, M.W. Biddulph 29

Effects of field orientation on the magnetization of superconducting wires, Some
A.P. Martinelli. B. Turck 155

Estimation of the solubility of solidified substances in liquid methane by the Preston-Prausnitz method
E. Szczepaniec-Cięciak, B. Dąbrowska, J.M. Lagan, Z. Wojtaszek .....(Oct) 591

Estimation of steady state heat leak into cylindrical cryogenic liquid containers
S. Srinivasa Murthy, M.V. Krishna Murthy ..(Oct) 611

Flexible superconducting ac cable: radial thermal contraction and the x-ray examination of a sample length of cold core, A
D.A. Swift 33

Fracture and strength of mig welded Fe-13% Ni-3% Mo alloy for cryogenic service
K. Ishikawa, N. Maruyama .....(Oct) 585

Friction factors for flow of near-critical helium in curved tubes
D.E. Daney and P.R. Ludtke 345

Gas bearing turbines with dynamic gas bearings and their application in helium refrigerators
N. Eber, H. Quack, C. Schmid .....(Nov) 585

Glass helium for optical and magneto-optical studies, A
R.I. Dzhioev and I.P. Shiryapov 304

High vacuum bushings for cryogenic applications
F. Schauer 259

Hyperfine enhanced nuclear magnetic cooling
K. Andres 473

Hsteresis losses in a superconducting plate
V.B. Zenkevitch and V.V. Zheltov 289

Hysteresis losses in superconductors of round cross section with collective interaction
V.B. Zenkevitch, V.V. Zheltov, A.S. Romanyuk 93

Improved He^3-He^4 mixing chamber for single-cycle experiments, An
A.P. Severijns, F.A. Stass, W.A. Cense 87

Improved thermal contact to unmodified carbon resistors
E. Polturak, M. Rappaport, R. Rosenbaum 27

Induction of a propagating normal zome (quench) in a superconductor by local energy release, The
C. Schmidt .....(Oct) 605

Intercomparison of a Cu nuclear susceptibility thermometer and an 119 Sn Mössbauer effect thermometer between 6 mK and 1 mK, An
S. Islander, P. Ostman 614

Investigation of the propagation velocity of a normal conducting zone in technical superconductors
M. Scherer and P. Turowski 515

Kapitza conductance of aluminium and heat transport through subcooled He II
S.W. Van Sciver 521

Large superconducting magnets – a key issue in commercialization of MHD
V.A. Ovcharenko 358

Long flexible transfer lines for gaseous and liquid helium
H. Laeger 659

Low level SQUID magnetometry of the human heart in a small ferromagnetic enclosure
M. Odehnal, V. Petříček, R. Tichy, F. Tomášek 427

Low temperature irradiation effects on mechanical properties of epoxy used in superconducting magnets
S. Nishijima, T. Okada 215

Low-temperature resistivity of platinum-rhodium alloys, The
J.C. Macfarlane 668

Low temperature specific heat of two stainless steels
J.C. Ho, G.B. King and F.R. Fickett 296

Low-temperature superconducting electronic and computer circuits
P. Wolf 478

Low temperature thermal conductivity of $Gd_2(SO_4)_38H_20$ and Dy_2Ti_20 as a function of magnetic field
J.A. Barclay, L. Paterson, D. Bingham, O. Moze .535

MC 80 – A magnetically driven stirling refrigerator, The
G.J. Haarhuis 656

Magnetic field dependence of ac losses in multifilamentary superconducting wires
F. Sumiyoshi, F. Irie, K. Yoshida 209

Magnetic field induced temperature changes in cryogenic liquids: N_2, Ar, and He^4
H-H., Sample, L.G. Rubin 223

Measurement of the low temperature heat capacity of metals under pressure
E.S. Itskevich, V.F. Kraidenov and V.S. Syzranov 281

Metallurgical effects in niobium-titanium alloys
D.T. Read ..... (Oct) 579

Method for applying strong electric fields in electron paramagnetic resonance at low temperatures, A
R.Sh. Usmanov 542

Miniature continuously filled He^4 cryostat, A
L.J. Richardson, P.V.E. McClintock 109

Miniature superconducting high frequency coaxial lines
J. Mazuer 39

Multi-purpose cryostat for freezing biological materials, A
W.B. Bald 3

Multi-purpose cryostat for low temperature electron irradiation of semi-conductors
E. Gmelin, R. Saffert, H. Schönteich ..... (Nov) 596

Nature of wall temperature distributions in regions of deteriorated heat transfer, The
A. Watson 349

Normal zone propagation in a superconductor carrying time-dependent current
S.S. Kutateladze, M.O. Lutset and Yu.M. Lvovsky .310

Obtention d'ultra basses temperatures par dilution He^3-He^4 classique
G. Frossati 490

Peculiar mechanical properties of aluminium-magnesium, aluminium-copper and aluminium-zinc alloys at low temperatures
V.P. Podkuyko, V.V. Pustovalov .....(Nov) 589

Practical design of heat exchanger for dilution refrigerator 1
Y. Oda, G. Fujii, H. Nagano 73

Precise temperature control by a manostat utilizing a sheet of a thin-film material
K. Noto, H.G. Wener, R.P. Huebener .....(Nov) 626

Principles and performance of a new aerosol detector in cryogenic systems
W.E. Harrison, Jr., A.C. Miller, Jr. and F.M. Shofner 363

Properties of sintered copper powders and their application in a nuclear refrigerator with precise temperature control
M. Krusius, D.N. Paulson, J.C. Wheatley 649

Proposed new and quick method for measuring surface tension of liquid helium, A
A.S. Vagh 100

Proximity-effect bridges with externally controllable electrical characteristics
G. Dharmadurai, B.A. Ratnam 553

Quality factors of quartz crystals for use as gravitational wave antennae
C.S. Lim, E. Tward, B. Ramadan, D. Strayer, G. Papini ..... (Nov) 615

Quartz thermometer with a field-access transistor oscillator
N.A. Novinskii, B.M. Zhilkin, I.I. Evseev 371

Quenching of technical superconductors by heat and magnetic field pulses
W. Goll, P. Turowski 103

On rf-magnetoresistance and flux flow resistivity of NbTi
A. Philipp, K. Lüders and K.D. Kramer 641

rf superconductivity: expectations and achievements
H. Lengeler 465

A reciprocating liquid helium pump used for forced flow of supercritical helium
G. Krafft, G. Zahn 112

The relative stability of the thermal electromotive force of stranded and solid copper wires in a cryogenic environment
G.H. Wood 220

The resistivity of the ß-W compounds
N. Morton, B.W. James and G.H. Wolstenholm ...131

Review of hydrodynamics and heat transfer for large helium cooling systems
M.C. Jones, V.D. Arp 483

Small radio-frequency superconducting resonance circuit, A
L.L. Anan'ev, E.P. Krasnoperov, A.M. Pozharov, V.L. Rubinov 447

Solubility of solidified toluene in liquid nitrogen, The
E. Szczepaniec-Cieciak, K. Nagraba .....(Oct) 601

Squid picovoltmeter operating in magnetic fields up to 3-2T, The
L. Smrcka, P. Svoboda 670

Stability of superconductors against disturbances of limited magnitude
M.N. Wilson, Y. Iwasa 17

Study of a liquid helium jet pump for circulating refrigeration systems
N.N. Agapov, A.I. Ageev, V.A. Belushkin, V.V. Krylov, A.G. Zel'dovich 491

Superconducting magnet system of a polarized proton target, A
A.Ya. Derkach, I.M. Karnaukhov, A.A. Lukhanin, P.V. Sorokin, E.A. Sporov 539
Temperature dependence of linear expansion coefficient of some Fe-Cr-Ni alloys in the temperature range 4.2 to 300 K
V.Ya. Ilichev, V.P. Popov, L.V. Skibina, M.M. Chernik 90
Thermal expansion of Cr, Mo and W at low temperatures
G.K. White, T.F. Smith and R.H. Carr .....
Thermodynamic optimization of thermal radiation shields for a cryogenic apparatus
Y.M. Eyssa and O. Okasha 305
Transient behaviour of helium-cooled current leads for superconducting power transmission
M.C. Jones, V.M. Yershenko, A. Starostin and L.A. Yaskin 337
Transient heat transfer to liquid helium from bare copper surfaces in a vertical orientation – 1. Film boiling regime
Y. Iwasa and B.A. Apgar 267
Two-point calibration of standard capsule platinum resistance thermometers for the range 13.81 K to 273.15 K
L.M. Besley, R.C. Kemp 497
Unit helium requirements for superconductive energy applications in the USA
M.A. Hilal, E.L. Stone, S.W. van Sciver and G.E. McIntosh 415
Use of a terbium single crystal for concentrating the magnetic flux in superconducting solenoids, The
S.A. Nikitin, G.I. Kataev, V.P. Posyado, G.E. Chuprikov 153
Utilization of LH_2 and LNG cold for generation of electric power by a cryogenic type Stirling Engine, The
K. Oshima, Y. Ishizaki, S. Kamiyama, M. Akiyama, M. Okuda .....(Nov)617

Research and Technical Notes

Absolute temperature stabilized below the lambda point: the adritron
J.M. Goldschvartz, F. Mathu 564
Anomalous behaviour of silicon diode thermometers
J.A. Gerber, D.J. Sellmyer ..... (Oct)619
Another lambda tight cement
F. Mathu, J.M. Goldschvartz .....(Oct)620
A cryogenic pressure regulator
D.E. Daney 234
Carbon-fibre reinforced composites with zero expansion in the low temperature range
M. De. F.F. Pinheiro and H.M. Rosenberg 373
Continuous flow cryostats for measurements in pulsed magnetic fields
P. Byszewski, M.Z. Cieplak, K. Szymborski 56
Coupling for vent gas cooled transfer lines
H. Walter 315
Device for detection of leak in cryogenic fluid tanks
R. Dalmaze 52
Easily demountable elastomer seal for cryogenic applications
J. Chaussy, G. Escalon, P. Gianese, J.P. Roux 501
Electrical contact at helium temperature to evaporated gold film in a silicon detector
N.N. Gonin, L.K. Kozlovskii, Yu.Ya. Stavisskii, D.I. Tambovtsev 57
Flow of helium II through porous plugs
H.D. Denner, G. Klipping, I. Klipping, J. Menzel, U. Ruppert 166
Hydrogen production from water by thermochemical cycles: a 1977 update
C.E. Bamberger 170
Inexpensive cryogenic pressure-vacuum valve
A.S. Greenberg, G. Armstrong 58
Integrated circuits at cryogenic temperatures
D.A. Howe 53
Liquid level detector for a pumped bath of He II
P.V.E. McClintock 183
Low flow velocity fine screen heat exchangers and vapour cooled current leads
W.A. Steyert, N.J. Stone ..... (Nov)627
Low temperature lattice parameter of Al and Al-Zn alloys and Grüneisen parameter of Al
J. Bandyopadhyay, K.P. Gupta 54
Low temperature thermal conductivity of stycast 2850 FT
C.L. Tsai, H. Weinstock, W.C. Overton, Jr. 562
Measurements of the orthobaric liquid densities of argon (100-120 K) and ethylene (105-200 K)
W.M. Haynes ..... (Oct)621
A rolling superconducting contact
B.L. Blackford, C.J. Purcell, G. Stoink 566
A simple concentric heat exchanger
R. Rosenbaum, E. Polturak 563
Simple level detectors, depth gauges and demonstrations of superconductivity based on In Pb covered manganin wire
D.S. McLachlan ..... (Oct)618
Simple method for linearized readings from 5-decade potentiometer
R. Fogelholm 560
Simple system for measuring small dc voltages to + 15 nV using cmos analogue gates at low temperatures
N.P.S. Prothero, A.C. Swinburne, D.J. Martin (Oct)623
Specific heat of EPO-TEK H31 LV and H62 epoxies
G.R. Stewart 120
Vacuum tight heat bridge for use at temperatures below 0.1 K
N.N. Gonin, L.K. Kozlovskii, Yu.Ya. Stavisskii, D.I. Tambovtsev 57
A very stable automatic pressure controller
G. Dharmadurai, B.A. Ratnam ..... (Oct)617
The zero mechanical work thermal compressor or pump in the high speed rotating frame
R.G. Scurlock, D.B. Utton 233
6250kVA superconducting generator
M. Iwamoto, H. Fujino 51

Review Articles

Linde AG and cryogenics
O. Weiss 635
Worldwide cryogenics Australian National Measurement Laboratory and cryogenics
G.K. White and R.C. Kemp 579

International Journal of

Electrical Power & Energy Systems

First Issue April 1979

The new international journal for researchers and practising engineers in the power industry

The new journal will cover the theoretical aspects of electrical power and energy systems and their planning, operation and control.
These will be related to the various application areas such as, planning, reliability, online control, dispatching and scheduling, network analysis, electromagnetic transients, electrotechnical areas, HVDC systems modelling of energy systems.

SPECIAL PRE-LAUNCH OFFER

only £30 ($78) per year (four issues)
Available until 30th March 1979 Normal rate £40 ($104)

ipc science and technology press

For further details write to:
David Burt, IPC Science and Technology Press Ltd,
Westbury House, Bury Street, Guildford,
Surrey GU2 5AW England Telephone: 0483 31261
Telex 859556 Scitec G.